

MACSIM®

**SILICONE
& Adhesives**





MF50: ROOF & GUTTER Professional Sealant application & use

ONE PART HIGH QUALITY SEALANT OFFERING EXCELLENT PRIMER-LESS ADHESION, WEATHERABILITY AND ELASTICITY FOR GENERAL GLAZING AND SEALING APPLICATIONS.

- Excellent adhesion to a wide variety of substrates
- Suitable for indoor and outdoor applications/ Industrial Use
- ±25% joint movement capability
- Fast curing
- Low odour
- UV stable & Waterproof
- Neutral cure
- Highly flexible

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TRGA	Aluminium	EACH	20	10	083963
53TRGB	Black	EACH	20	10	062944
53TRGG	Grey	EACH	20	10	062937
53TRGT	Translucent	EACH	20	10	062920
53TRGW	White	EACH	20	10	062951



MF70: SANITARY Professional Sealant application & use

SINGLE COMPONENT, NEUTRAL SILICONE SEALANT WITH EXCELLENT ANTI-FUNGAL PROPERTIES. IT IS SUITABLE FOR MANY COMMON AREAS WHICH MAY BE EXPOSED TO HIGH HUMIDITY & TEMPERATURE CONDITIONS. IT WILL BOND TO FORM A DURABLE, FLEXIBLE, WATERPROOF SEAL ON MOST BUILDING MATERIALS.

- Anti-fungal: Can be used in wet areas
- Mould & mildew resistant
- Joint movement capability ±25%
- Non corrosive to galvanised/ zinc coated steel/ concrete
- Sanitary
- Fast cure
- Low odour
- UV Stable
- Waterproof
- Neutral cure
- Highly flexible
- Non slumping
- Excellent primer-less adhesion

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TBKT	Translucent	EACH	20	10	072769
53TSW	White	EACH	20	10	063002



MF60: GLAZING Professional Sealant application & use

HIGH QUALITY 100% OXIME CURING SILICONE ADHESIVE / SEALANT. IT IS DESIGNED FOR GENERAL PURPOSE GLAZING, INDUSTRIAL AND AUTOMOTIVE SEALING APPLICATIONS WHERE EXCELLENT ADHESION & LONG TERM RELIABILITY IS REQUIRED.

- ± 25% movement capability
- Low slump
- Superior adhesion
- Will not corrode metals
- Complies with 5 star rating for VOC <5% (Less than 50g/L)
- 5-10 Skinning time

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53PSN60T	Translucent	EACH	20		089941
53PSN60B	Matt Black	EACH	20		225271



MF40: INDUSTRIAL MULTIPURPOSE Adhesive Sealant application & use

ONE PART HIGH QUALITY SEALANT OFFERING EXCELLENT PRIMER-LESS ADHESION, WEATHERABILITY AND ELASTICITY FOR GENERAL GLAZING AND SEALING APPLICATIONS.

- Excellent adhesion to a wide variety of substrates
- Suitable for indoor and outdoor applications
- ±25% joint movement capability
- Fast curing
- Low odour
- UV stable
- Waterproof
- Neutral cure
- Highly flexible
- Industrial Use

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TMPT	TRANSLUCENT	EACH	20	10	234136



MF65: FISH TANK Professional Sealant application & use

ACETIC SILICONE SEALANT IS A ONE PART ACETOXY CURING SEALANT WITH EXCELLENT RESISTANCE TO AGING, CRACKING & DISCOLOURATION. IT IS SPECIALLY FORMULATED FOR SEALING IN LARGE PLATE GLASS & AQUARIUMS. 100% SILICONE.

- Fast cure
- UV stable
- Waterproof
- Acetic cure
- Highly flexible
- Excellent adhesion

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TFTT	Translucent	EACH	20	10	063071



MF25: ELECTRICIANS Professional Sealant application & use

ONE PART HIGH QUALITY SEALANT OFFERING EXCELLENT PRIMER-LESS ADHESION, WEATHERABILITY AND ELASTICITY FOR GENERAL GLAZING ELECTRICAL SEALING & INSULATION APPLICATIONS.

- Excellent adhesion to a wide variety of substrates
- Suitable for indoor and outdoor applications
- ±25% joint movement capability
- Fast curing
- Low odour
- UV stable
- Waterproof
- Neutral cure
- Highly flexible
- Industrial Use

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TET	Translucent	EACH	20	10	234488

* BARCODE PREFIX: 9312862

* BARCODE PREFIX: 9312862



MF15: COOL ROOM Mastic

ONE COMPONENT, NON-DRYING, POLYBUTENE RUBBER BASED MASTIC THAT DOES NOT HARDEN BUT REMAINS PERMANENTLY SOFT. IT HAS EXCELLENT RESISTANCE TO WATER VAPOUR TRANSMISSION.

- Non-Skinning Mastic
- Suitable for sealing small joints up to 3mm
- Permanently flexible - non hardening
- Moisture resistant
- Mould & mildew resistant
- Strong adhesion to metals and many substrates
- Safe on polystyrene

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TCR	White	EACH	20	10	063699



MF05: BETTABOND Construction Adhesive

ONE-COMPONENT, WATER-BASED, LOW VOC PANEL ADHESIVE WITH GOOD INITIAL GRAB. IT IS FAST CURING TO FORM A DURABLE HIGH STRENGTH BOND. IT IS PAINTABLE AND IDEAL FOR GENERAL PURPOSE CONSTRUCTION APPLICATIONS.

- Water based
- Environmentally friendly
- Good adhesion
- Universal application
- Fills & bonds
- Solvent free
- VOC free

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53BB	White	EACH	20	10	052198



MF20: NEVER NAIL Multipurpose Adhesive

ONE-COMPONENT CONSTRUCTION ADHESIVE FORMULATED TO BOND ON A VARIETY OF COMMON CONSTRUCTION MATERIALS. IT HAS STRONG INITIAL GRAB, SUPERIOR ADHESION, & DOES NOT SLUMP ON VERTICAL SURFACES.

- Strong initial grab
- Bond most materials
- Polystyrene safe
- Superior adhesion
- Can be extruded even at low temperatures
- Water resistant

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TNN	Cream	EACH	20	10	063026



MF10: GAP FILLER Acrylic Flexible Filler

ONE PART, GUN APPLIED, WATERBASED ACRYLIC SEALANT THAT CURES TO A FLEXIBLE & TOUGH RUBBER WITH GOOD ADHESION TO POROUS SURFACES WITHOUT PRIMER. IT CAN BE USED ON JOINTS WHERE MOVEMENT IS NO MORE THAN 20%.

- Environmentally Friendly
- Primerless adhesion to wood, concrete, metal & marble
- Flexible
- Paintable
- Water Based
- No cracking or shrinkage
- Interior & Exterior use
- Low VOC

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
300mL Cartridge					
53TGF	White	EACH	20	10	062999



CROC A-TACK Instant Grab Hi Tack Adhesive

A ONE-PART HIGH QUALITY PROFESSIONAL UNIVERSAL ADHESIVE SEALANT WITH AN EXTREMELY HIGH INITIAL TACK. IT IS A MOISTURE CURING PRODUCT THAT FORMS A DURABLE ELASTIC RUBBER THAT WILL STICK JUST ABOUT ANYTHING TO ANYTHING.

- Extremely high initial tack
- High mechanical strength
- Shock resistant
- Non shrink & sag
- Free of isocyanates, solvents & silicones
- Permanently elastic
- Bubble free
- Non corrosive
- Paintable

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY INNER QTY	PACK BARCODE*
300mL Cartridge				
53CROCB	Black	EACH	12	242360
53CROCG	Grey	EACH	12	242377
53CROCW	White	EACH	12	241011



CROC A-TACK Crystal Clear Universal Sealant

A HIGH PERFORMANCE, ELASTIC, ONE COMPONENT MS POLYMER BASED SEALANT / ADHESIVE. IT CURES TO FORM A PERMANENT, FLEXIBLE SEAL WITH AN INVISIBLE GLUE LINE, HAS A TOUGH BOND AND CAN BE USED UNDER WATER.

- Extremely high initial tack
- High mechanical strength
- Shock resistant
- Non shrink & sag
- Free of isocyanates, solvents & silicones
- Permanently elastic
- Bubble free
- Non corrosive
- Paintable

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY INNER QTY	PACK BARCODE*
300mL Cartridge				
53CROCC	Crystal Clear	EACH	12	243534

* BARCODE PREFIX: 9312862

* BARCODE PREFIX: 9312862



MS602: JOIN N FLEX Polyurethane Hybrid

LOW MODULUS, HYBRID POLYURETHANE, FLEXIBLE JOINT SEALANT & ADHESIVE THAT IS FREE OF ISOCYANATE & OTHER HAZARDOUS RAW MATERIALS & OMITTS LOW ODOUR. JOIN N FLEX HAS BEEN FORMULATED TO OFFER OUTSTANDING ADHESION TO MOST COMMON BUILDING & AUTOMOTIVE MATERIALS.

- Solvent & Isocyanate Free
- Low VOC
- Low odour
- Non corrosive
- Joint movement total 50%
- Non slump
- Paintable

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	PACK BARCODE*
600mL Sausage				
53HJNFSB	BLACK	EACH	20	233788
53HJNFSG	GREY	EACH	20	233412
53HJNFSW	WHITE	EACH	20	234358
300mL Cartridge				
53HJNFCB	BLACK	EACH	20	233788
53HJNF CG	GREY	EACH	20	233412
53HJNFCW	WHITE	EACH	20	234358

MF90: DUCT SEALANT Water Based Acrylic

WATER BASED ACRYLIC FIRE STOP SEALANT THAT PROVIDES MOVEMENT CAPABILITY FOR FIRE-RATED JOINT APPLICATIONS. IT HAS FOUR HOURS FIRE RATING UNDER BS EN 1366-4: 2006.

- 4 Hour Fire Resistance
- Tough & Flexible
- Indoor/ Outdoor Use
- Non corrosive towards metals
- After drying it forms a tough elastic seal
- Good primer-less adhesion on most substrates
- Non slump
- Low VOC

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY INNER QTY	PACK BARCODE*
5 Litre Tub				
53MDS5	Grey	EACH	2	221730
300mL Cartridge				
53MDS	Grey	EACH	20	095201

MACPRO FIRETEK AC Acrylic

IS A FLEXIBLE, ONE COMPONENT ACRYLIC SEALANT, FIRE RATED UP TO 4 HOURS (AS/ 1530-PART 4, 2014) FOR SEALING INTERIOR & VERTICAL EXTERIOR JOINTS UP TO 40MM WIDE, SUBJECT TO MOVEMENT ACCOMODATION.

- 4-hour Fire rated (AS 1530.4:2014)
- Water Based Acrylic
- Paintable
- Low VOC
- Non-Slump
- Acoustic Rated 56 STC
- Movement capability +/- 15%
- Water Clean Up
- LOW VOC
- Low Odour

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	PACK BARCODE*
600mL Sausage				
53FTAC600	GREY	EACH	15	056080
300mL Cartridge				
53FTAC300	GREY	EACH	20	200681



MACPRO ULTRATEK 100S Sanitary Silicone Sealant

A VERSATILE ONE, COMPONENT, 100% SILICONE SEALANT FOR SEALING BUILDING JOINTS AND GLAZING SYSTEMS AND HAS EXCELLENT UV AND WEATHER RESISTANCE. ULTRATEK 100S SANITARY CURES WITH ATMOSPHERIC MOISTURE TO FORM A DURABLE RUBBER SEAL.

- Excellent UV and weather resistance
- Antifungal and Antibacterial
- No Fillers
- Improved Rheology
- Excellent Tooling
- Consistent colour
- Excellent adhesion
- Low VOC

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	PACK BARCODE*
300mL Cartridge				
53UTT	TRANSLUCENT	EACH	20	208793
53UTW	WHITE	EACH	20	208786



MACPRO ULTRATEK 100I Industrial Sanitary Silicone Sealant

A VERSATILE ONE, COMPONENT, 100% SILICONE SEALANT FOR SEALING BUILDING JOINTS AND GLAZING SYSTEMS AND HAS EXCELLENT UV AND WEATHER RESISTANCE. ULTRATEK 100I INDUSTRIAL CURES WITH ATMOSPHERIC MOISTURE TO FORM A DURABLE RUBBER SEAL.

- Excellent UV and weather resistance
- Excellent Rheology
- Robust & Strong
- Medium Modulus

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	PACK BARCODE*
300mL Cartridge				
53UTMB	MATT BLACK	EACH	20	218297



MACPRO GLASSTEK 60HM Architectural Grade Silicone

IS A NEUTRAL CURING ONE COMPONENT SILICONE SEALANT THAT HAS EXCELLENT WEATHER, AGEING AND UV RESISTANCE PROPERTIES AND IS SPECIALLY DEVELOPED FOR THE WEATHER SEALING OF GLAZING, ANGLED GLAZING, WOOD-GLASS COMPOSITE UNITS, MIRRORS, SPLASH BACKS, ROOF GLAZING AND CONSERVATORIES.

- Joint Movement ±25%
- Mid Modulus
- Excellent Rheology
- Non Slump
- Excellent UV Resistance
- Non-Corrosive
- Low Odour
- Low VOC

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	PACK BARCODE*
300mL Cartridge				
53GT60T	TRANSLUCENT	EACH	20	208731



FILL & FIX & BOND Construction Foam

ONE-COMPONENT, READY TO USE, MULTIPURPOSE POLYURETHANE FOAM. IT IS FITTED WITH A PLASTIC ADAPTER FOR USE WITH A FOAM APPLICATION GUN OR STRAW. IT HAS EXCELLENT MOUNTING CAPACITIES, HIGH THERMAL & ACOUSTICAL INSULATION. IT IS MOULD PROOF AND MOISTURE RESISTANT.

- Good insulation characteristics
- CFC free
- High yield
- Fast drying
- Solvent free
- Works in any direction
- Environmentally friendly
- Good adhesion to most building materials

PRODUCT CODE	COLOUR	PACK QTY	CARTON QTY	INNER QTY	PACK BARCODE*
750ml Can					
53MPF750	CREAM	EACH	12	6	083208

SILICONE SPATULA




Individual					
53SSB	SILICONE SPATULA - SOFT - BOX	BOX		50	090664
Individual					
53SSS	SILICONE SPATULA	EACH		50	090671

CARTRIDGE NOZZLES



Pack of 2					
53N	CARTRIDGE NOZZLES 2 PACK	BOX		2	054291

CAULKING GUNS




Nylon Frame Caulking Gun				
40CG1	NYLON FRAME CAULKING GUN		1	022122



Nylon Dripless Caulking Gun				
40CG2	NYLON DRIPLESS CAULKING GUN		1	409046



Barrel Caulking Gun				
40CG8	600ML BARREL CAULKING GUN		1	043387
40CG8N	NOZZLES FOR CG8 BARREL GUN		1	060827
40CG8R	NYLON DRIPLESS BARREL SAUSAGE CAULKING GUN		1	237717



Skeleton Caulking Gun				
40CG3	SKELETON METAL CAULKING GUN		1	409053



Skeleton Caulking Gun				
40CG6	13 SKELETON CAULKING GUN		1	022139



Rotary Caulking Gun				
40CG7	9 ROTARY CAULKING GUN		1	037744



Cordless Caulking Gun				
40CG10	600ML CORDLESS CAULKING GUN		1	211823